

08/15/2014

MODJESKA THEATRE

EMF/TEMPERATURE READINGS

LOCATION	EMF Before Investigation (with power on; denoted in mG)	Temperature Before Investigation (Fahrenheit)
Main Theater North	7.9	69.2
Stage	0.8	69.2
Main Theater South	0.0	68.6
Entrance	0.0	69.8
Concessions	4.5	70.0
1st Floor Men's Room	0.0	71.7
Hallway to Basement	4.7	66.7
Workshop (Basement)	1.6	66.7
Laundry Room (Basement)	3.8	67.8
Electrical Box Room	0.9	66.6
Paint Storage Room	11.1	66.7
Dressing Rooms (Basement)	1.2	66.4
Storage Room (Basement)	0.2	67.4
Signature Room (Basement)	1.0	66.3
Orchestra Pit	0.0	66.8
Green Room (Basement)	0.0	66.7
Boiler Room	0.7	66.5
2nd Floor Lobby	2.3	66.8

Balcony	0.0	71.3
Light Booth	0.0	72.6
Attic	0.0	73.5
Private Theater	0.4	70.3
Office Hallway	0.4	70.3
2nd Floor Bathroom	0.0	70.1

NOTE: EMF detection of 1.0 or higher can make a person have symptoms of nausea, dizziness, paranoia and the feeling of being watched. Some people are more sensitive to higher levels of EMF than others.

ENVIRONMENTAL DATA

TIME TAKEN

7:26 pm

WEATHER OUTSIDE

Clear

OUTSIDE TEMPERATURE

71.1 degrees F

WIND SPEED

1.6 mph

BAROMETRIC PRESSURE

29.18 falling

HUMIDITY

61.3%

MOON PHASE

51% Full Waning Gibbous

GEOMAGNETIC FIELD

Storm

SOLAR X-RAYS

Active

SOLAR WIND SPEED

353.1 km/sec

SOLAR WIND DENSITY

2.7 protons/cm³

RADIO SUN

10.7 cm flux; 103 sfu

PLANETARY K-INDEX NOW

Kp=2; quiet

PLANETARY K-INDEX 24HR MAX

Kp=2; quiet

**INTERPLANETARY MAGNETIC FIELD
BTOTAL**

1.5 nT

INTERPLANETARY MAGNETIC FIELD BZ

0.3 nT north

SUNSPOT

Yes; 108

CORONAL HOLES

None