

07/11/2019

OLD LAKE COUNTY JAIL

EMF/TEMPERATURE READINGS

Location	EMF Before Investigation (with power on; denoted in mG)	Temperature Before Investigation (Fahrenheit)
Intake Room 1st Floor	0.0	77.3
Dentist's Room 1st Floor	0.0	76.6
Tunnel 1st Floor	0.0	75.7
Cell Block 1st Floor	0.0	76.4
Poker Cell 2nd Floor	0.2	76
Nude Cells 2nd Floor	0.0	77.6
Juvenile Detention 3rd Floor	0.0	74.6
East Cells 3rd Floor	0.0	74.6
West Cells 3rd Floor	0.0	73.3
Female section 2nd Floor	0.0	76.8
Universal Room	0.0	76.9

NOTE: EMF detection of 1.0 or higher can make a person have symptoms of nausea, dizziness, paranoia and the feeling of being watched. Some people are more sensitive to higher levels of EMF than others.

ENVIRONMENTAL DATA

OUTSIDE CONDITIONS - TIME TAKEN

8:53 pm

WEATHER OUTSIDE

Clear

OUTSIDE TEMPERATURE

76.7 degrees F

WIND SPEED

3.0 mph

BAROMETRIC PRESSURE

29.9 mmHg, rising

HUMIDITY

79.5%

MOON PHASE

19% Full Waxing Crescent

GEOMAGNETIC FIELD

Unsettled

SOLAR X-RAYS

Active

SOLAR WIND SPEED

474.2 km/sec

SOLAR WIND DENSITY

0.4 protons/cm³

RADIO SUN

10.7 cm flux; 68 sfu

PLANETARY K-INDEX NOW

Kp=1; quiet

PLANETARY K-INDEX 24HR MAX

Kp=3; quiet

INTERPLANETARY MAGNETIC FIELD BTOTAL

4.3 nT

SUNSPOT

No; 0

FLARE THREAT

None

CORONAL HOLES

Two